

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.



Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

1/10


**FIG. 1A****FIG. 1B****FIG. 1C**

EXON 2-TGGCCAAGG/GAGATGTTA-EXON 3-AACCCAAAG/GGGAGTTGC-EXON 4


EXON 2-TGGCCAAGG/GGGAGTTGCTGGAAGCCATCAAACGTGA-EXON 4

SUBSTITUTE SHEET (RULE 26)

2 / 10


**FIG. 2**

3 / 10

**FIG. 3A****FIG. 3B**


A L A K G E L L E A  
GCGTTGGCCAAGGGGAGTTGCTGGAAGCC  
280 470  
Mn SOD Mn SOD  
Exon 2 Exon 4

4 / 10

**FIG. 4**

**FIG. 5A**

Normal MnSOD cDNA      MnSOD E3(-) cDNA



doxycycline ng/ml 20.0 | 0.2 | 20.0 | 0.2 |  
2.0 0.02 2.0 0.02

**FIG. 5B**

MnSOD E3(-) cDNA




← Normal full-length mtDNA


mtDNA Oxidative Damage

rDNA repeat

doxycycline ng/ml 20.0 | 0.02  
2.0 0.2


6 / 10

**FIG. 6**


**FIG. 7**



**FIG. 8**



**FIG. 9**



10 / 10

**FIG. 10**